DB Name	Query	Hit Count	Set Name
USPT	l12 and fix$4	6	L13
USPT	l8 and ((logical or virtual) near6 (unbacked or released or unused))	6	L12
USPT	l10 and ((logical or virtual) near6 (unbacked or released or unused))	6	L11
USPT	l8 and (fix$4 and (logical or virtual))	228	L10
USPT	l7 same usage	24	L9
USPT	l7 same us$4	911	L8
USPT	l6 near6 (size or amount or capacity)	2460	L7
USPT	l5 near6 (var$5 or dynamic$4 or chang$4 or adjust$4)	29855	L6
USPT	buffer	252581	L5
USPT	l3 and (buffer near4 partition$4)	21	L4
USPT	l2 and (storage near4 (fix$3 or virtual))	371	L3
USPT	l1 and (buffer near8 (state or used or page$4 or fix$2 or unback$3 or releas$3 or valid))	6019	L2
USPT	buffer near2 (pool or plural$4 or multi$4)	9217	L1

Set Name Query side by side		Hit Count	Set Name result set

DB=PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

Set Name	Query	Hit Count	Set Name
L12	L11 and ((fixed or reserved) with (threshold or value or amount))	16	L12
L11	L10 and ((pageable or virtual or logical) with (threshold or value or amount))	21	L11
L10	L9 and ((var$4 or allocat$4 or chang$4 or alter$4 or adjust$4 or modif$6 or increas$4 or decreas$4 or reduc$4) with (storage or memory) with (level or threshold or maximum or target or compar$6))	39	L10
L9	L8 and l7	136	L9
L8	(buffer or queue) with (fixed or reserved) with (memory or storage)	1454	L8
L7	(buffer or queue) with (pageable or virtual or logical) with (memory or storage)	1963	L7

DB=USPT; PLUR=YES; OP=ADJ

Set Name	Query	Hit Count	Set Name
L6	L5 and ((pageable or virtual or logical) with (threshold or value or amount))	40	L6
L5	L4 and ((fixed or reserved) with (threshold or value or amount))	55	L5
L4	L3 and ((var$4 or allocat$4 or chang$4 or alter$4 or adjust$4 or modif$6 or increas$4 or decreas$4 or reduc$4) with (storage or memory) with (level or threshold or maximum or target or compar$6))	104	L4
L3	L2 and l1	320	L3
L2	(buffer or queue) with (fixed or reserved) with (memory or storage)	2689	L2
L1	(buffer or queue) with (pageable or virtual or logical) with (memory or storage)	3387	L1

END OF SEARCH HISTORY

Set Name Query	Hit Count	Set Name
side by side		**result set**

DB=PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

Set Name	Query	Hit Count	Set Name
L11	L10 and ((var$4 or alter$4 or chang$5 or adjust$4 or modif$8) near6 (storage or memory or buffer or queue) near8 (compar$6 or equal$4 or different or similar))	34	L11
L10	L9 and 18	316	L10
L9	(buffer or queue) near8 (fixed or reserved)	5412	L9
L8	(buffer or queue) near8 (pageable or virtual or logical)	4084	L8

DB=USPT; PLUR=YES; OP=ADJ

Set Name	Query	Hit Count	Set Name
L7	L5 and ((var$4 or alter$4 or chang$5 or adjust$4 or modif$8) near6 (storage or memory or buffer or queue) near8 (compar$6 or equal$4 or different or similar))	21	L7
L6	L5 and ((var$4 or alter$4 or chang$5 or adjust$4 or modif$8) near6 (storage or memory or buffer or queue))	193	L6
L5	L4 and ((pageable or virtual or logical) near8 (target or maximum or value or level or threshold))	226	L5
L4	L3 and ((fixed or reserved) near8 (target or maximum or value or level or threshold))	380	L4
L3	L2 and 11	995	L3
L2	(buffer or queue) near8 (fixed or reserved)	7829	L2
L1	(buffer or queue) near8 (pageable or virtual or logical)	6959	L1

END OF SEARCH HISTORY

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L17	L16 and ((var$6 or chang$4 or adjust$4 or alter$4 or modif$8) near8 ((fixed or reserved) near3 (memory or storage)))	1	L17
L16	L15 and ((var$6 or chang$4 or adjust$4 or alter$4 or modif$8) near8 ((pageable or virtual or logical) near3 (memory or storage)))	6	L16
L15	L14 and ((var$6 or chang$4 or adjust$4 or alter$4 or modif$8) same (us$3 or utili$6 or allocat$4) same ((maximum or target or threshold or compar$6 or level) near4 value))	45	L15
L14	L13 and ((pageable or logical or virtual) near4 (storage or memory))	608	L14
L13	L12 and ((fixed or reserved) near4 (storage or memory or buffer))	4418	L13
L12	(storage or memory or buffer) near6 (var$6 or chang$4 or adjust$4 or alter$4 or modif$8 or manag$6)	144354	L12
	DB=USPT; PLUR=YES; OP=ADJ		
L11	L10 and ((var$6 or chang$4 or adjust$4 or alter$4 or modif$8) near8 ((pageable or virtual or logical) near3 (memory or storage)))	2	L11
L10	L9 and ((var$6 or chang$4 or adjust$4 or alter$4 or modif$8) near8 ((fixed or reserved) near3 (memory or storage)))	12	L10
L9	L8 and ((var$6 or chang$4 or adjust$4 or alter$4 or modif$8) same (us$3 or utili$6 or allocat$4) same ((maximum or target or threshold or compar$6 or level) near4 value))	178	L9
L8	L7 and ((pageable or logical or virtual) near4 (storage or memory))	2310	L8
L7	L6 and ((fixed or reserved) near4 (storage or memory))	11274	L7
L6	(storage or memory) near6 (var$6 or chang$4 or adjust$4 or alter$4 or modif$8 or manag$6)	133991	L6
L5	L3 and ((target or threshold or compar$6 or value) with (var$6 or chang$4 or adjust$4 or alter$4 or modif$8))	32	L5
L4	L3 and ((target or threshold or compar$6) with (var$6 or chang$4 or adjust$4 or alter$4 or modif$8))	11	L4
L3	L2 and l1	57	L3
L2	(buffer or queue) near8 ((pageable or virtual or logical) near3 (memory or storage))	1238	L2
L1	(buffer or queue) near8 ((fixed or reserved) near3 (memory or storage))	951	L1

END OF SEARCH HISTORY